



Introduction:



SFP+ Specification defines an interface for operation up to 11.1GBd. The modules defined in this specification would be electrical-to-optical or electrical-to-electrical device intended to support one or more of the applications.

The Host Compliance Board has the differential impedance of 100+/- 10 Ohms to meet the host and devices system impedance.

Physical Features:



Weight:N/A

Dimension(mm):70 X 62.5 X1 mm³

Body material: Copper with Golden coating.

RF Pairs: 2

PCB Length: 62mm reference.

Instrument connector: 4 SMA female connectors.

RF features:

PCB Differential Impedance: 100 ± 6 Ω

Pair Intra Skew: Less than 2ps.


Pair Inter Skew: Less than 3ps.

Pair Loss: 3dB @15GHz (reference)

Application:

S-Parameter Measurement.

SFP+ Host Device Measurement



Contact LiTek:

Taiwan: 4F-3, No. 18, Huannan Rd., Pingzhen City, Taoyuan County 32448, Taiwan Tel: +886-3-4951851 Fax: +886-3-4951841

李文福 經理 Leo Lee leo@litek.tw Cell Phone: +886-922330325

China: 901R Shencai Building Fuyong Boulevard Fuyong Town Baoan District Shenzhen Guangdong

洪瑋駿 經理 Thomas Hung thomas@litek.tw Cell Phone: +86-13823201991